SAFETY DATA SHEET

Issuing Date 08-Jul-2021

Revision Date 22-Apr-2021

Revision Number 1

NGHS / English

(U)

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name 12Ah Battery

Other means of identification

Product Code(s) 1629716

Recommended use of the chemical and restrictions on use

Recommended Use Lithium Ion Battery

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification TTi Floorcare

Address 8501 IBM DR.

Charlotte NC 28262 US

Telephone Phone:888-321-1134

Fax:440-996-2026

E-mail Valinda.Griggs@ttifloorcare.com

Emergency telephone number

Company Emergency Phone 88

888-321-1134

Number

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1



1629716 - **12Ah Battery** Revision Date 22-Apr-2021

Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

This is a battery. In case of rupture: the above hazards exist.

Appearance Silver Physical state Solid Odor No information available

GHS Label elements, including precautionary statements

Danger

Hazard statements

Harmful if swallowed Causes skin irritation Causes serious eye damage May cause cancer

Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

Skin

IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Very toxic to aquatic life with long lasting effects.



Page 2/13

Unknown acute toxicity

102 % of the mixture consists of ingredient(s) of unknown toxicity

91 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

100 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

102 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

102 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

102 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Aluminum cobalt lithium nickel oxide	177997-13-6	45	-	-
Graphite	7782-42-5	25	-	-
Aluminum	7429-90-5	12	-	-
Copper	7440-50-8	9	-	-
Ethylene carbonate	96-49-1	3	-	-
Phosphate(1-), hexafluoro-, lithium	21324-40-3	2	-	-

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required. IF exposed or concerned: Get medical advice/attention. First aid is upon rupture of

sealed battery. In case of rupture:

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Get immediate medical advice/attention. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed



5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation. Evacuate personnel to safe areas.

Other Information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice.

Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Take off contaminated clothing and wash before

reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Store locked up.



Page 4/13

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name		ACGIH T	LV	03	SHA PEL		NIOSH IDLH
Aluminum cobalt lithium r oxide 177997-13-6	nickel	TWA: 0.02 mg/m³ particulate matte mg/m³ Ni inhalable matter	r TWA: 0.2 e particulate	(vacated)	: 1 mg/m³ Ni TWA: 1 mg/m³ Ni	TW	IDLH: 10 mg/m³ Ni /A: 0.015 mg/m³ except Nickel carbonyl Ni
Graphite 7782-42-5		TWA: 2 mg/m³ particulate matte except graphit	er all forms te fibers	s TWA: 5 m fractic (vacated) respirabl (vacated) TV dust (vacated) respirable f	mg/m³ total dust ynthetic ig/m³ respirable on synthetic TWA: 2.5 mg/m³ le dust natural VA: 10 mg/m³ total is synthetic) TWA: 5 mg/m³ fraction synthetic on mppcf natural		IDLH: 1250 mg/m ³ :: 2.5 mg/m ³ respirable dust
Aluminum 7429-90-5		TWA: 1 mg/m³ i particulate r		TWA: 5 m (vacated) TV (vacated)	ng/m³ total dust g/m³ respirable fraction VA: 15 mg/m³ total dust) TWA: 5 mg/m³ able fraction		A: 10 mg/m ³ total dust 5 mg/m ³ respirable dust
Copper 7440-50-8		TWA: 0.2 mg/r	n ³ fume	TWA: 0. TWA: 1 mg/ (vacated) T	1 mg/m³ fume /m³ dust and mist WA: 0.1 mg/m³ Cu , fume, mist	TWA:	l: 100 mg/m³ dust, fume and mist 1 mg/m³ dust and mist VA: 0.1 mg/m³ fume
Phosphate(1-), hexaflucture lithium 21324-40-3	oro-,	TWA: 2.5 mg	g/m³ F		2.5 mg/m³ F TWA: 2.5 mg/m³		IDLH: 250 mg/m³ F
Chemical name		Alberta		Columbia	Ontario TWAE		Quebec
Aluminum cobalt lithium nickel oxide 177997-13-6		a: 0.2 mg/m³ TWA: 0.02 mg/m³	0.05 ו	mg/m³ TWA: mg/m³	TWA: 0.2 mg/m³ 1 0.02 mg/m³		TWA: 0.2 mg/m ³ TWA: 0.02 mg/m ³
Graphite 7782-42-5		ΓWA: 2 mg/m³		2 mg/m³	TWA: 2 mg/m		TWA: 2 mg/m ³
Aluminum 7429-90-5	T	WA: 10 mg/m ³	TWA: 1.	.0 mg/m ³	TWA: 1 mg/m	3	TWA: 10 mg/m ³
Copper 7440-50-8	-	WA: 0.2 mg/m³ ГWA: 1 mg/m³	TWA: 0.	l mg/m³ .2 mg/m³	TWA: 0.2 mg/n TWA: 1 mg/m	3	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³
Phosphate(1-), hexafluoro-, lithium 21324-40-3	Т	WA: 2.5 mg/m ³	TWA: 2.	.5 mg/m³	TWA: 2.5 mg/n	n ³	TWA: 2.5 mg/m ³

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.



Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling

the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid Appearance Silver

Odor No information available
Color No information available

Odor Threshold Not applicable

Property Values Remarks Method

No data available None known pН Melting / freezing point No data available None known No data available Boiling point / boiling range None known Flash Point No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability limit No data available Lower flammability limit No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative densityNo data availableNone known

Water Solubility Insoluble in water Solubility(ies) No data available

Solubility(ies) No data available None known

Partition coefficient: n-octanol/waternot applicable

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other Information

Explosive properties No information available **Oxidizing properties** No information available **Softening Point** No information available **Molecular Weight** No information available **VOC Content (%)** No information available **Liquid Density** No information available **Bulk Density** No information available No information available **Particle Size Particle Size Distribution** No information available



10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid None known based on information supplied.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

In case of rupture:

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

damage. Severely irritating to eyes. (based on components). May cause burns. May cause

irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on

components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 1,890.10 mg/kg

Unknown acute toxicity 102 % of the mixture consists of ingredient(s) of unknown toxicity

91 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

100 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

102 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) 102 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

102 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name Oral LD50 Dermal LD50 Inhalation LC50



Graphite	-	-	> 2000 mg/m³ (Rat) 4 h
Aluminum	-	-	> 0.888 mg/L (Rat) 4 h
Copper	-	-	> 5.11 mg/L (Rat)4 h
Ethylene carbonate	= 10 g/kg (Rat)	> 26420 mg/kg (Rabbit)	> 730 mg/m³(Rat)8 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Aluminum cobalt lithium	A3 A1	Group 2B	Reasonably Anticipated	X
nickel oxide		Group 1	Known	
177997-13-6				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Graphite	No data available	96h LC50: > 100 mg/L	No data available	No data available
		(Danio rerio)		
Copper	96h EC50: 0.031 - 0.054	96h LC50: 0.0068 -	No data available	48h EC50: = 0.03 mg/L
	mg/L	0.0156 mg/L (Pimephales		(Daphnia magna)
	(Pseudokirchneriella	promelas) 96h LC50: <		-



	1			
	subcapitata) 72h EC50:	0.3 mg/L (Pimephales		
	0.0426 - 0.0535 mg/L	promelas) 96h LC50: =		
	(Pseudokirchneriella	0.052 mg/L		
	subcapitata)	(Oncorhynchus mykiss)		
		96h LC50: = 0.112 mg/L		
		(Poecilia reticulata) 96h		
		LC50: = 0.2 mg/L		
		(Pimephales promelas)		
		96h LC50: = 0.3 mg/L		
		(Cyprinus carpio) 96h		
		LC50: = 0.8 mg/L		
		(Cyprinus carpio) 96h		
		LC50: = 1.25 mg/L		
		(Lepomis macrochirus)		
Ethylene carbonate	No data available	96h LC50: > 100 mg/L	No data available	No data available
		(Oncorhynchus mykiss)		

Persistence and Degradability No information available.

Bioaccumulation No information available.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Aluminum cobalt lithium nickel oxide 177997-13-6	Toxic
Aluminum 7429-90-5	Ignitable powder

14. TRANSPORT INFORMATION

Note:

The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard



Passenger Aircraft; Final Rule)

Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"

DOT

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9

Description UN3480, LITHIUM ION BATTERIES, 9

Emergency Response Guide 147

Number

TDG

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9

Marine Pollutant This product contains a chemical which is listed as a severe marine pollutant according to

TDG.

Description UN3480, LITHIUM ION BATTERIES, 9

MEX

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9

Description UN3480, LITHIUM ION BATTERIES, 9

<u>ICAO</u>

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9

Description UN3480, LITHIUM ION BATTERIES, 9

IATA

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9 ERG Code 12FZ

Description UN3480, LITHIUM ION BATTERIES, 9

IMDG/IMO

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9 EmS-No. F-A

Description UN3480, LITHIUM ION BATTERIES, 9

RID

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9 Classification code M4

Description UN3480, LITHIUM ION BATTERIES, 9

<u>ADR</u>

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9 Classification code M4

Tunnel restriction code (E)

Description UN3480, LITHIUM ION BATTERIES, 9

ADN

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9 Classification code M4

Special Provisions 188, 230, 310, 348, 636, 661

Description UN3480, LITHIUM ION BATTERIES, 9

Limited Quantity 0

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA

DSL/NDSL

Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Aluminum cobalt lithium nickel oxide - 177997-13-6	177997-13-6	45	0.1
Aluminum - 7429-90-5	7429-90-5	12	1.0
Copper - 7440-50-8	7440-50-8	9	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.



CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Aluminum cobalt lithium nickel oxide 177997-13-6		X		
Copper 7440-50-8		X	X	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Copper	5000 lb		RQ 5000 lb final RQ
7440-50-8			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65	
Aluminum cobalt lithium nickel oxide - 177997-13-6	carcinogen, 5/7/2004	

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Aluminum cobalt lithium	X		X	X	X
nickel oxide					
177997-13-6					
Graphite	X	X	X		
7782-42-5					
Aluminum	X	X	X	X	
7429-90-5					
Copper	Χ	X	X	Х	X
7440-50-8					
Ethylene carbonate		X	X		
96-49-1					
Phosphate(1-),	Х				
hexafluoro-, lithium					
21324-40-3					

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 0 Instability 0 Physical and Chemical Properties -

HMIS Health hazards 0 Flammability 0 Physical hazards 0 Personal Protection X

HMIS Health nazards 0 Flammability 0 Physical nazards 0 Personal Protection 2

Prepared By
Product Stewardship
23 British American Blvd.
Latham, NY 12110



1-800-572-6501

Issuing Date 08-Jul-2021

Revision Date 22-Apr-2021

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

