## GEORGIA-PACIFIC CORPORATION -- POTTERY PLASTER (K-55 TO K-64) -- 5640-00F007761

Product ID: POTTERY PLASTER (K-55 TO K-64)

MSDS Date:11/01/1985

FSC:5640

NIIN:00F007761 MSDS Number: BBYSS

=== Responsible Party ===

Company Name: GEORGIA-PACIFIC CORPORATION

Address:2861 MILLER ROAD

City:DECATUR State:GA ZIP:30035

Info Phone Num: (404) 987-5190 Emergency Phone Num: (404) 987-5190 Preparer's Name: NANCY E. WAGNER

CAGE: 00284

=== Contractor Identification === Company Name:GEORGIA-PACIFIC CORP

Address:2861 MILLER ROAD

Box:City:DECATUR

State:GA ZIP:30035

Phone: (404) 987-5190

CAGE: 00284

======= Composition/Information on Ingredients ========

Ingred Name: PLASTER OF PARIS (CALCIUM SULFATE DIHYDRATE)

CAS:10101-41-4 RTECS #:EW4150000

Fraction by Wt: 49-99.5% OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name: PORTLAND CEMENT

CAS:65997-15-1 RTECS #:VV8770000 Fraction by Wt: 0-49%

Other REC Limits:50 MPPCF (MSHA)

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:STARCH CAS:9005-25-8 RTECS #:GM5090000 Fraction by Wt: 0-4% OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3; 9192

Ingred Name: PARTICULATES NOT OTHERWISE REGULATED (NUISANCE DUST)

Fraction by Wt: BALANCE

OSHA PEL:15 MG/M3 TOTAL DUST ACGIH TLV:10 MG/M3 TDUST; 8990

Ingred Name:PERLITE

CAS:93763-70-3

RTECS #:SD5254000 Fraction by Wt: 0-14% OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9192

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: COUGHING, SNEEZING & NASAL IRRITATION. SKIN: MAY DEVELOP ENOUGH HEAT TO CAUSE BURNS IF LARGE MASS IS IN CONTACT WITH SKIN DURING HARDENING (HYDRATION); MAY DRY SKIN. EYES: MAY CAUSE IRRITATION.

Explanation of Carcinogenicity: NONE

Effects of Overexposure: COUGHIN, G SNEEZING & NASAL IRRITATION. SKIN:
MAY DEVELOP ENOUGH HEAT TO CAUSE BURNS IF LARGE MASS IS IN CONTACT
WITH SKIN DURING HARDENING (HYDRATION); MAY DRY SKIN. EYES: MAY
CAUSE IRRITATION.

First Aid:INGESTION: PRODUCT MAY HARDEN ON CONTACT WITH WATER. MAY RESULT IN OBSTRUCTION. SEE PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. EYE: REMOVE CONTACT LENSES. RINSE EYES WITH PLENTY OF RUNNING WATER FOR 10-15 MINUTES, INCLUDING UNDER EYELIDS.IF IRRITATION OCCURS, CONTACT PHYSICIAN. SKIN: WASH PROMPTLY WITH WATER. IF IRRITATION OCCURS, CONTACT PHYSICIAN.

Extinguishing Media:NON-COMBUSTIBLE Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures: SWEEP OR VACUUM SPILLED MATERIAL INTO A WASTE CONTAINER FOR DISPOSAL. AVOID CREATING EXCESSIVE DUST. WEAR APPROVED RESPIRATORS IF NECESSARY. DON'T WASH DOWN DRAINS - MAY PLUG DRAINS.

Handling and Storage Precautions:BE SURE PROPER VENTILATION & RESPIRATORY & EYE PROTECTION ARE USED UNDER DUSTING CONDITIONS. Other Precautions:EXCESSIVE PARTICULATE IN WORKPLACE AIR MUST BE AVOIDED EVEN THOUGH IT'S INERT & NON-TOXIC.

======== Exposure Controls/Personal Protection ==========

Respiratory Protection: WEAR NIOSH-APPROVED RESPIRATOR AS APPROPRIATE FOR NUISANCE DUST, ESPECIALLY WHEN SANDING, DRY GRINDING, CRUSHING & MILLING.

Ventilation: PROVIDE LOCAL EXHAUST VENTILATION TO KEEP <TLV Protective Gloves: DESIRABLE

Eye Protection: GOGGLES

Work Hygienic Practices: WHERE APPLICABLE, USE WET SPONGING IN LIEU OF DRY SANDING WHENEVER POSSIBLE.
Supplemental Safety and Health

========== Physical/Chemical Properties ================

Spec Gravity:.04-2.7

pH:8.5-10

Solubility in Water:.2%

Appearance and Odor: WHITISH, GREY OR BUFF POWDER; LOW ODOR.

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid: NONE

Hazardous Decomposition Products: CALCIUM OXIDE & SULFUR DIOXIDE

Waste Disposal Methods: MAY BE DISPOSED OF AS INERT SOLID IN SANITARY LANDFILL OR BY OTHER PROCEDURES IN ACCORDANCE WITH ALL FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.