SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product name:	Keating Klenzer Cleanser		
Manufacturer:	Fitzpatrick Bros., Inc. 309 Radio Road Quincy, IL 62305		
Emergency phone:	800-233-8064 or 262-947-3500 X 617		
Chemical name:	Limestone		
Product use:	Household cleanser. May be used in commercial applications.		

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:	A free flowing white, odorless powder. May irritate the skin and eyes. Dusts may irritate
EINERGENCT OVERVIEW.	respiratory tract.

OSHA Regulatory Status	Hazardous		
WHMIS Regulatory Status	Controlled Product		
OSHA Classification	Skin Corrosion/Irritation – Category 2; Eye Corrosion/Irritation – Category 2A Specific Target Organ Toxicity-Single Exposure – Category 3 (respiratory irritation)		
OSHA Signal Word	Warning		
OSHA Hazard Statements	Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation		
OSHA Precautionary Statements	Wear protective gloves and eye protection. Avoid breathing dusts. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If on skin wash with plenty of water. If irritation occurs get medical attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.		
OSHA Label Symbols	<u>(!)</u>		

POTENTIAL HEALTH EFFECTS

Eyes:	Can irritate the eyes. Burns can occur in the absence of prompt first aid.		
Skin:	Can irritate or burn the skin.		
Ingestions:	Can cause irritation and stomach distress.		
Inhalation:	May cause irritation to the respiratory tract.		
Chronic hazards:	Crystalline silica impurity when inhaled above safe exposure limits can cause respiratory system injury and potentially cancer.		
Medical conditions aggravated by exposure: Dermatitis			

Ingredients found on established carcinogen lists.

Ingredient Name	OSHA	ACGIH	NTP	IARC
Crystalline Silica		Suspect human	Known carcinogen	Human carcinogen
		carcinogen		

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient Name	CAS No.	%WT (exact % is trade secret)
Calcium Carbonate	1317-65-3	90 - 100

SECTION 4: FIRST AID MEASURES

Eyes:	Wash with plenty of water for at least 15 minutes. If wearing contact lenses, remove first. If irritation persists, get medical attention.		
Skin:	Wash with plenty of water. If irritation persists, get medical attention.		
Ingestion:	If conscious, drink several glasses of water. Do not induce vomiting. Consult a physician or poison control center.		
Inhalation:	Remove victim to fresh air. Get medical attention if irritation occurs.		
Advice to phy	sicians Treat symptomatically		

SECTION 5: FIRE-FIGHTING MEASURES

Flash Point & method	Not flammable	
Auto ignition temperature:	Not flammable	
Extinguishing media:	Use any standard agent appropriate for the surrounding fire.	
Special fire fighting procedures:	Wear self contained breathing apparatus.	
Unusual fire and explosion hazards:	None	
Thermal decomposition products:	Traces of carbon monoxide and carbon dioxide are potential thermal decomposition materials.	

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions	Wear proper personal protective equipment. Indicated in section 8.	
Containment	Solid material will not flow.	
Clean p	Sweep up and place into container for reuse or disposal.	
Notification requirements	None	

SECTION 7: HANDLING AND STORAGE

Handling	Avoid-Contact-with skin and eyes. Do not breathe dusts from cleaner.
Storage	Store in cool, dry ventilated area

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls:	Use local exhaust ventilation when handling transferring large quantities of cleaner.	
Ventilation :	If dusty conditions exist, apply ventilation to keep below established safe exposure levels	
Respiratory protection:	A NIOSH approved dust respirator should be worn in areas where product dusts are encountered.	
Eye protection:	Wear safety glasses or goggles,	
Skin protection:	Wear work gloves.	
Other protective clothing or	A source of running water in the work area is advisable for first aid	
equipment:	purposes.	

Exposure Guidelines:

Ingredient Name	OSHA	ACGIH
Calcium Carbonate	15 mg/m³ Total Dust (TWA) 5 mg/m³ Respirable Dust (TWA)	None
Crystalline Silica, quartz (trace impurity)	(10 mg/m³)/(%Si02 + 2) Respirable dust (TWA) 30 mg/m³)/(%Si02 + 2) Total dust (TWA)	0.025 mg/m3 Respirable dust (TWA)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance & Physical State	White powder		
	Odorless		
Odor:			
Odor threshold	None		
pH (5% aq.):	8.4 – 10.2		
Boiling point & boiling range	Not determined		
Melting point/Freezing	Not determined		
Freezing point:	Not determined		
Vapor pressure (mmhg):	Negligible		
Vapor density (air = 1):	Not determined		
Relative density (vs water)	2.7 g/cm3		
Evaporation rate:	Not determined		
Volatile organic compounds (voc):	None		
Viscosity:	Not determined		
Solubility in water:	Partially soluble		
Percent solids by weight:	100 %		
Percent volatile:	0%		
Flash point	Not flammable		
Upper/lower flammable limits	Not flammable		
Auto ignition temperature	Not flammable		
Flammability (solid, gas)	Not applicable		
Decomposition temperature	Not determined		
Viscosity	Not determined		

SECTION 10: STABILITY AND REACTIVITY

Stability:	Stable under anticipated storage and use conditions.			
Conditions to avoid (stability):	Do not mix with ammonia or other house chemicals as this releases toxic			
	gases.			
Incompatibility (material to avoid):	None anticipated			
Hazardous decomposition or by-	None anticipated			
products:				
Hazardous polymerization:	Will not occur			

SECTION 11: TOXICOLOGICAL INFORMATION

Acute	Not tested, Oral toxicity estimated to be low and not toxic under consumer regulations. (> 5000 mg/kg)
Chronic	Crystalline silica impurity can cause decreased pulmonary function and/or lung cancer when inhaled above established safe limits over a prolonged perioid of time.

SECTION 12: ECOLOGICAL INFORMATION

Ecological data:	Data not available.

SECTION 13: DISPOSAL CONSIDERATIONS

Trade diopodal interiori	Conform to state, federal and local regulations.
Rcra hazard class:	Not a RCRA Hazardous waste if discarded.

The information listed in section 13 is for the product as shipped.

SECTION 14: TRANSPORT INFORMATION								
U.S. DOT hazard class:	Not regulated in s							
Proper shipping name:	Keating Klenzer (Cleanser	(non-hazardous goods)					
SEC	SECTION 15: REGULATORY INFORMATION							
Toxic substance control act (TSCA):	All ingredients are listed on the TSCA inventory.							
Sara title iii (CERCLA):	No RQs or TPQs							
311/312 hazard categories:	Immediate, Delay	/ed						
Ingedient Name	RQ	TPQ	SARA 313 Reportable Ingredient					
No ingredients listed.								
California proposition 65:	This product conf	This product contains a trace impurity known to the State of California to						
	cause cancer (crystalline silica).							
WHMIS classification (Canada):	Class D2A, This product has been classified in accordance with hazard							
		iteria of the Controlled Products Regulations and the MSDS contains all						
	the information re	ation required by the Controlled Products Regulations.						
Canadian chemical inventory	ory Ingredients listed on Domestic Substances List (DSL)							
	SECTION 16: OTHE	R INFORMAT	TION					
•								
NFPA Hazard Classification: Health:			: 0 Other: Not Applicable					
HMIS Hazard Classification: Health:	Flammability: 0	Physical H	azard: 0					
Current issue date:	11/19/2014							
Previous issue date:	3/21/2013							
Changes from previous issue:	Complete rewrite to comply with OSHA HCS 2012. Formulation and							
	classification changes made. Exposure values updated to current standards.							

DISCLAIMER: The information contained on this Safety Data Sheet is believed to be reliable and accurate, but is provided without warranty regarding its accuracy. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.