

SAFETY DATA SHEET

Date Issued: 04-27-2015 Supersedes: 08-01-2012

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name Diamond™ Classic

Product Number BPR510001-B and BPR510005-B, BPR510055-B

Brand Brighton Professional™

Recommended Use Floor finish

Uses advised against Uses other than those identified on the product label are not recommended.

Supplier Name Staples Contract & Commercial, Inc.

Supplier Address 500 Staples Drive

Framingham MA 01702 USA

Supplier Phone Number 1-888-322-0912 SDS Internet Address: http://sds.staples.com

Emergency telephone number 1-888-322-0912

2. HAZARDS IDENTIFICATION

Classification for the Undiluted Product

This product is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canadian Hazardous Products Regulations (WHMIS 2015-GHS).

Precautionary Statements – Prevention: Not required.

<u>Hazards not otherwise classified (HNOC):</u> Not applicable

<u>Other information:</u> Harmful to aquatic life. <u>Interactions with Other Chemicals:</u> No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Acrylic polymer	trade secret	10-30
2-(2-Methoxypropoxy)propan-1-01	34590-94-8	1 - 5
2-(2-Ethoxyehoxy) ethanol	111-90-0	1 - 5
Tributoxyethyl phosphate	78-51-3	1 - 5
Ethane-1,2-diol	107-21-1	0.1 - 1
Poly (ethylene)	68441-17-8	0.1 - 1
2,5-Furadione	25722-45-6	0.1 - 1
Dibutyl-1,2-benzendicarboxylate	84-74-2	0.1 1

Balance is water and similar non-hazardous ingredients. No fragrance added.

4. FIRST AID MEASURES

First aid measures:

Eye Contact Immediately flush eyes with water for at least 15 minutes while holding eyelids open.

Remove contact lenses after the first five minutes if present, then continue rinsing eye. If

irritation occurs and persists, seek medical advice.

Skin Contact Flush immediately with plenty of water for at least 15 minutes. If irritation occurs and persists,

seek prompt medical advice.

Inhalation If symptoms develop, move victim to fresh air and seek medical advice.

Ingestion Rinse mouth immediately and drink plenty of water. Do not induce vomiting. Never give anything

by mouth to an unconscious person.

Most Important Symptoms and Effects: May be irritating to skin and eyes. May be irritating to the mouth, throat and stomach.

May be irritating to respiratory tract.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Water spray (fog). Dry chemical. Carbon dioxide (CO₂). Foam

Unsuitable extinguishing media: Not determined

Specific Hazards Arising from the Chemical: Product is not flammable.

Hazardous Combustion Products: Carbon oxides. Phosphorus oxides.

Explosion Data

Sensitivity to Mechanical Impact: No Sensitivity to Static Discharge: No

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with eyes.

Environmental Precautions: Prevent from entering soil, ditches, sewers, waterways and/or ground water.

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for cleaning up: Floor may become slippery. Small spills may be absorbed with non-reactive absorbent. Rinse

area with water. Recover liquid with wet mop or vacuum. Keep spill out of sewers and waterways.

7. HANDLING AND STORAGE

Handling: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or

clothing. Wash thoroughly with soap and water after handling. Use only in well-ventilated area. Do not eat,

drink or smoke when handling this product.

Storage: Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep/store only in original

container. Store away from incompatible materials. Keep from freezing.

Incompatible Products: Acids. Oxidizers. Caustics.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines:

ACGIH TLV	OSHA PEL	NIOSH IDLH
STEL: 150 ppm	TWA: 100 ppm	IDLH: 600 ppm
TWA: 100 ppm	TWA: 600 mg/m ³	TWA: 100 ppm
		TWA: 600 mg/m ³
		STEL: 150 ppm STEL: 900 mg/m³
		6122. 300 mg/m
		STEL: 150 ppm TWA: 100 ppm

Appropriate engineering controls

Engineering Measures: General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety goggles.

Skin and Body Protection Chemical resistant gloves

Respiratory ProtectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation, respirator or evacuation may be required.

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State

Hygiene Measures

Appearance Liquid Odor Fruity

Color White Odor Threshold No information available

 Property
 Values

 pH (as is)
 7.8 - 9.0

Melting / freezing pointNo data availableBoiling point /boiling range>100 °C / >212 °FFlash Point>93.3 °C / >200 °FEvaporation RateNo data availableFlammabilityNo data availableLower flammability limitNo data availableVapor densityNo data available

Specific Gravity 1.026

Water Solubility Soluble in water Solubility in other solvents No data available Partition coefficient: n-octanol/water No data available **Autoignition temperature** No data available **Decomposition temperature** No data available Kinematic viscosity No data available Dynamic viscosity No data available **Explosive properties** No data available **Softening Point** No data available VOC Content (by weight) <3.5% (<35 g/L) Particle Size No data available **Particle Size Distribution** No data available

10. STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions.

Chemical stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: None under normal processing.

Hazardous Polymerization: Hazardous polymerization does not occur.

Conditions to avoid: Keep separated from incompatible substances. Avoid high temperatures. Keep out of

reach of children.

Incompatible materials: Acids. Oxidizers. Caustics.

Hazardous Decomposition Products: Carbon oxides. Phosphorus oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product information:

Inhalation Avoid breathing vapors or mists.

Eye Contact Skin ContactAvoid contact with eyes.

Avoid contact with skin.

Ingestion Do not ingest.

Component Information:

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
2-(2-Ethoxyethoxy) ethanol	= 1920 mg/kg (Rat)	= 4200 μL/kg (Rabbit) = 6 mL/kg (> 5240 mg/m³ (Rat) 4 h	
111-90-0		Rat)		
Ttributoxyethyl phosphate 78-51-3	= 3000 mg/kg (Rat)	> 5000 mg/kg(Rabbit)	> 6.4 mg/L (Rat) 4 h	
2-(2-Methoxypropoxy)propan-1-01 34590-94-8	= 5230 mg/kg(Rat)	= 9500 mg/kg(Rabbit)	-	

Information on toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Mutagenic EffectsNo information available.

Carcinogenicity Contains no ingredient listed as a carcinogen.

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic Toxicity No known effect based on information supplied.

Target Organ Effects None known.

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Not available

12. ECOLOGICAL INFORMATION

Ecotoxicity:	Harmful to aquatic life

Freshwater Algae

Ethane-1,2-diol #107-21-1 96 Hr EC₅₀ Pseudokirchneriella subcapitata: 6500 - 13000 mg/L

Dibutyl-1,2- benzenedicarboxylate #84-74-2 72 Hr EC₅₀ Scenedesmus subspicatus 1.2 mg/L

Freshwater Fish

2-(2-Ethoxyethoxy)ethanol #111-90-0 96 Hr LC₅₀ Oncorhynchus mykiss: 11400-15700 mg/L [flow-through];

96 Hr LC₅₀ Pimephales promelas: 11600-16700 mg/L [flow-through];

96 Hr LC₅₀ Lepomis macrochirus: 10000 mg/L [static];

96 Hr LC₅₀ Lepomis macrochirus: 19100-23900 mg/L [flow-through];

96 Hr LC₅₀ Salmo gairdneri: 13400 mg/L [flow-through]

2-(2-Methoxypropoxy)propan-1-ol #34590-94-8 96 Hr LC₅₀ Pimephales promelas: >10000 mg/L [static]

Dibutyl-1,2-benzenedicarboxylate #84-74-2 96 Hr EC50 Pimephales promelas 1.1 mg/L, flow through;

Ethane-1,2-diol #107-21-1 96 Hr LC₅₀ Oncorhynchus mykiss: 41000 mg/L;

96 Hr LC₅₀ Oncorhynchus mykiss:14 - 18 mL/L [static]; 96 Hr LC₅₀ Lepomis macrochirus: 27540 mg/L [static]; 96 Hr LC₅₀ Oncorhynchus mykiss: 40761 mg/L [static];

96 Hr LC₅₀ Pimephales promelas: 40000 - 60000 mg/L [static];

96 Hr LC₅₀ Poecilia reticulata: 16000 mg/L [static]

Tributoxyethyl phosphate #78-51-3 96 Hr LC₅₀ Pimephales promelas: 10.4-12.0 mg/L [flow-through]

Water Flea

2-(2-Ethoxyethoxy)ethanol #111-90-0 48 Hr EC₅₀ Daphnia magna: 3940 - 4670 mg/L 2-(2-Methoxypropoxy)propan-1-ol #34590-94-8 48 Hr LC₅₀ Daphnia magna: 1919 mg/L

Dibutyl-1,2-benzenedicarboxylate #84-74-2 24 hr EC₅₀ Daphnia magna 17,000 ug/L

Ethane-1,2-diol #107-21-1 48 Hr EC₅₀ Daphnia magna: 46300 mg/L

Persistence and Degradability:

No information available. **Bioaccumulation:** No information available. Other adverse effects: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal methods: This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR

261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated Packaging Dispose of contents/containers in accordance with local regulations.

14. TRANSPORT INFORMATION

24-HR EMERGENCY PHONE: 1-888-322-0912

DOT/ TDG/ MEX/ ICAO/ IATA/ IMDG/IMO: Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA(US) Complies

DSL (Canada) All components are listed either on the DSL or NDSL.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations. Part 372:

Dibutyl-1,2-benzenedicarboxylate #84-74-2

SARA 311/312 Hazard Categories

Acute Health Hazard Yes **Chronic Health Hazard** No Fire Hazard No Sudden release of pressure hazard No Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65: Warning: This product contains a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

Ingredient	CAS#	State Right-to-Know	SARA EHS Sect. 302 TPQ (lbs)	SARA EHS Sect. 304 RQ (lbs)	CERCLA RQ (lbs)
2-(2-Ethoxyethoxy)ethanol	111-90-0	IL, LA, MA, MN, NJ	N/A	N/A	N/A

Diamond Classic BPR5100. 04-27-2015

2-(2-Methoxypropoxy) propan-1- ol	34590-94-8	CA, MN, NJ, PA	N/A	N/A	N/A
Dibutyl-1,2- benzenedicarboxylate	84-74-2	CA, MA, MN, NJ, NY, PA, RI	N/A	N/A	10

N/A = Not Applicable

U.S. State Right-to-Know Regulations

Chemical Name / CAS	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Di(ethylene glycol) ethyl ether 111-90-0	X		Х		
Dipropylene glycol monomethyl ether (DPM) 34590-94-8	X	Х	Х		

International Regulations

Canada

16. OTHER INFORMATION

NFPA Health Hazards 1 Flammability 0 Instability 0 Physical & chemical Hazards – Personal protection X

HMIS Health Hazards 1 Flammability 0 Physical Hazard 0

Prepared By: Regulatory Specialist, Staples Brand Group, (508) 253-5000

Always follow label directions carefully when using this or any other chemical product. If information about this product is required, please contact Staples at 1-888-322-0912 or visit our website at www.staplesadvantage.com. Keep Safety Data Sheets filed and organized in an area accessible to workers according to all applicable regulations.

All information contained in this SDS is provided to the best of Staples Contract & Commercial Inc's knowledge. No warranty is made with respect to this information expressed or implied, including warranties of merchantability or fitness for a particular purpose. Users are responsible for verifying the information under their own operating conditions to determine whether the products listed in the SDS are suitable for their intended use. Users are responsible for compliance with all laws and regulations as may be required by their receipt of the information and use of the products provided with this SDS.