

LFS1040

=====

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to
comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

=====

PRODUCT RENEW WHITE
IDENTITY: Aerosol

Revision Date: 07/02/2008

Section I

Sold By: Continental Research Corp.
Address: PO Box 15204
St. Louis
Missouri
Zip Code: 63110

Telephone Numbers:
Emergency:
800-325-4869
Information:
800-325-4869

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 3 HEALTH: 2 PERSONAL PROTECT: B

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the
ingredients contained in this product are listed on the TSCA inventory.)

=====

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
ACETONE	67-64-1	1000 PPM	750 PPM	N/A	_____
HEPTANE	142-82-5	400 PPM	400 PPM	N/A	_____
ISOPARAFINIC HYDROCARBON	64742-47-8	400 PPM	400 PPM		_____
ISOPROPYL ALCOHOL	67-63-0	400 PPM	400 PPM	N/A	_____
PROPANE/N-BUTANE	68476-86-8	1000 PPM	600 PPM	N/A	_____
TITANIUM DIOXIDE	13463677	5 MG/M3	10 MG/M3	N/A	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

=====

Boiling Point:	104F	Specific Gravity (water=1)	0.88
Vapor Pressure (mm Hg)	N/A	Melting Point:	N/A
Vapor Density (AIR=1)	>1	Evaporation Rate:	>1
Solubility in Water:	0%	(Butyl Acetate=1)	

Appearance and Odor: WHITE SPRAY, HYDROCARBON SOLVENT ODOR.

Section IV: FIRE AND EXPLOSION HAZARD DATA

=====

Flash Point (Method Used): >100F TCC Flammable Limits: LEL: N/A UEL: N/A
Extinguishing Media: STANDARD DRY CHEMICAL FIRE EXTINGUISHER
Special Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS.

Unusual Fire and Explosion Hazards: FLAMMABLE. CONTENTS UNDER PRESSURE.
DO NOT PUNCTURE OR INCINERATE CONTAINER. KEEP AWAY FROM HEAT.
EXPOSURE TO TEMPERATURES >120 F MAY CAUSE BURSTING.

=====
MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to
comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.
=====

PRODUCT RENEW WHITE
IDENTITY: Aerosol

Revision Date: 07/02/2008

Section I

Sold By: Continental Research Corp.
Address: PO Box 15204
St. Louis
Missouri
Zip Code: 63110

Telephone Numbers:
Emergency:
800-325-4869
Information:
800-325-4869

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 3 HEALTH: 2 PERSONAL PROTECT: B

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the
ingredients contained in this product are listed on the TSCA inventory.)
=====

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
ACETONE	67-64-1	1000 PPM	750 PPM	N/A	---
HEPTANE	142-82-5	400 PPM	400 PPM	N/A	---
ISOPARAFINIC HYDROCARBON	64742-47-8	400 PPM	400 PPM		---
ISOPROPYL ALCOHOL	67-63-0	400 PPM	400 PPM	N/A	---
PROPANE/N-BUTANE	68476-86-8	1000 PPM	600 PPM	N/A	---
TITANIUM DIOXIDE	13463677	5 MG/M3	10 MG/M3	N/A	---
-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS
=====

Boiling Point: 104F Specific Gravity (water=1) 0.88
Vapor Pressure (mm Hg) N/A Melting Point: N/A
Vapor Density (AIR=1) >1 Evaporation Rate: >1
Solubility in Water: 0% (Butyl Acetate=1)
Appearance and Odor: WHITE SPRAY, HYDROCARBON SOLVENT ODOR.

Section IV: FIRE AND EXPLOSION HAZARD DATA
=====

Flash Point (Method Used): >100F TCC Flammable Limits: LEL: N/A UEL: N/A
Extinguishing Media: STANDARD DRY CHEMICAL FIRE EXTINGUISHER
Special Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS.

Unusual Fire and Explosion Hazards: FLAMMABLE. CONTENTS UNDER PRESSURE.
DO NOT PUNCTURE OR INCINERATE CONTAINER. KEEP AWAY FROM HEAT.
EXPOSURE TO TEMPERATURES >120 F MAY CAUSE BURSTING.

